

# Automatic temperature sensing hand sterilizer



TF-88

# Product Introduction

This Device to Measure Temperature Based on Infrared Technology and It Has Voice to broadcast Temperature and also whether temperature is normal or Abnormal. After measurement, Please Put your hands under the inlet, the dispenser will outflow hand rub automatically. The kiosk combines temperature measure and disinfection. It is easy to use. Users only need to put their hands under the sensor part. The device can measure the body Temperature and also offers Auto-sense Hand Rub.

It can be widely used in schools, hotels, customs, banks, household and other public area



# Product Features



Free of punch



Metal body



Infrared sensor



Intelligent  
temperature  
measurement



Liquid  
quantitative  
output



No power line  
built-in dual  
power supply

Hand disinfection  
body temperature measurement  
health protection

TF-88






TF-88-01

## Technical Parameter

Product name:	THERMOMETER AND DISPENSER KIOSK
Product Type:	TF88
Product Size:	150MM*100MM*240MM
product Material:	SS304+PMMA/SS201
Max Power:	3W
Power Supply:	4 batteries No. 5 or DC6V2.1A
Product Features:	Detection of body temperature and automatic induction of no-wash hand sanitizer disinfection
Body temperature Dsisplay:	Digital display
Measurement method:	Infrared sensor
Temperature measurement distance	5-10CM
Temperature measurementrange	Body temperature (32°C to 42.9°C, 89.6°F to 109.2°F)
Allowable error	±0.3°C
Temperature measurement time	2 S
Bottle capacity	1000ML
Liquid Type	No wash hand sanitizer, ordinary hand sanitizer
Discharge method	Infrared sensor
working environment	10°C~40°C(50°F~104°F) Humidity V85%
Storage environment	-20°C~55°C(-4°F~131°F) Humidity V85%
Temperature unit	Celsius (°C) Fahrenheit (°F)
Weight (net weight)	9kg

# Size







28 Inpatient Ward















Comprehensive administrative service center